

Natator 40 & 40 mobile

Water pressurisation machine

Datasheet, 02.06.2023, V2.0

Engineered and made in Switzerland

The Natator 40 and 40 mobile are devices designed for leak testing watches and other components by immersing them in pressurized water.

Pressurization up to 40 bar (~400 meters under water) is possible.

They operate without an external power supply and are entirely manual.

Machine functions

- Pressure up to 40 bar (~400 m depth)
- Stainless steel tank and drip tray
- No connection required
- Total autonomy for pressure management thanks to ratchet-type handwheel
- Built-in pressure gauge
- Natator 40 mobile with tappets function
- Ideal for unitary control and after-sales service



Working pressure : Ø Inside tank : Height inside tank : Tank capacity : Capacity: Weight : Dimensions closed device (l/d/h) : Dimensions open device (l/d/h) :

Natator 40

0 to 40 bar 67 mm 65 mm 0.23 L 1 watch 8,2 kg 210 x 280 x 265 mm 255 x 280 x 310 mm

Natator 40 mobile

0 to 40 bar 67 mm 65 mm 0.23 L 1 watch 8,2 kg 210 x 280 x 265 mm 255 x 280 x 310 mm

Roxer SA

www.roxer.ch info@roxer.ch

T:+41(0)329678686 F: +41 (0) 32 967 86 87

Rue du Collège 92 CH-2300 La Chaux-de-Fonds Natator 40 & 40 mobile 1